



ROOF PLAN
SCALE: 1/8"=1'-0"

ROOFING SPECIFICATIONS

ROOF 1

1. NEW MONOLITHIC DURO-LAST ROOFING SYSTEM MOUNTED ON NEW 12" MULTIPLE LAYERS OF POLYISOCYANURATE INSULATION.
2. INSTALL WOOD NAILER EACH TWO LAYERS OF INSULATION.
3. INSTALL 2x16 FRAMEWORK WITH 2x8 JOIST SUPPORT ON EXISTING ARCHED ROOF DECK.

ROOF 2

1. NEW MONOLITHIC DURO-LAST ROOFING SYSTEM MOUNTED ON MULTIPLE LAYERS OF POLYISOCYANURATE ROOFING INSULATION.
2. INSTALL NEW ROOFING INSULATION PANELS IN VARIOUS THICKNESSES IN ORDER TO ACHIEVE THE DESIGNED SLOPE. LEVEL WITH ROOF INSULATING FOAM PRIOR TO INSTALLATION OF DURO-LAST ROOFING SYSTEM.
3. INSTALL WOOD NAILER EACH TWO LAYERS OF INSULATION.

ROOF 3

1. NEW MONOLITHIC DURO-LAST ROOFING SYSTEM MOUNTED ON MULTIPLE LAYERS OF POLYISOCYANURATE ROOFING INSULATION. PROVIDE TRAFFIC SURFACE FOR PEDESTRIAN USAGE.
2. INSTALL NEW ROOFING INSULATION PANELS IN VARIOUS THICKNESSES IN ORDER TO ACHIEVE THE DESIGNATED SLOPE. LEVEL WITH ROOF INSULATING FOAM PRIOR TO INSTALLATION OF DURO-LAST ROOFING SYSTEM.
3. INSTALL WOOD NAILER EACH TWO LAYERS OF INSULATION.
4. INSTALL ROOFING AND INSULATION TO NEW WOOD DECK.

SOLATUBE SCHEDULE

- F-21" NEW 21" DIA. SOLATUBE SKYLIGHT W/ BOTTOM MOUNTED FLUSH WITH B.O. TRUSS OR FIN. CEILING
- F-14" NEW 14" DIA. SOLATUBE SKYLIGHT W/ BOTTOM MOUNTED FLUSH WITH B.O. TRUSS OR FIN. CEILING
- Z-21" NEW 21" DIA. SOLATUBE SKYLIGHT W/ BOTTOM MOUNTED 4'-0" BELOW B.O. STEEL TRUSS.

8-17-09	FOR PERMIT			
7-27-09	OWNER REVIEW			
DATE	ISSUE FOR	DATE	BY	BULLETIN
				REVISIONS

GREEN GARAGE RENOVATION
4444 SECOND AVENUE
DETROIT, MI 48201

Architects Planners Engineers
INTERNATIONAL INC.
17400 Wildemere
Detroit, Michigan 48221
Phone: 313-341-7930
Fax: 313-341-6944

DESIGNED	TLB	CHECKED	TLB	PROJECT NO.
DRAWN	TLB	DATE	6-1-09	0923
APPROVED	TLB			
SHEET TITLE				SHEET NO.